

UNIVERSITY JEAN-JAURÈS

PROJET RÉSEAU

DNC SERVER START MANUAL



Authors:
Quentin ROULAND
Renan HUSSON

To the attention of :
M. JACOBONI

April 15, 2015

Contents

1	Server	3
1.1	Requirement	3
1.2	Configuration	3
1.3	Start Server	4


1 Server

1.1 Requirement

You need to install python 3.4 for launch the DNC server.

1.2 Configuration

Before running the server, it is possible to change the default configuration file through dncServer.conf. In this file you can configure the port use and the log directory by ther server.



```
Terminal - sidya@toaster:~/PycharmProjects/DNC/server
GNU nano 2.2.6 Fichier : dncServer.conf

[NETWORK]
port = 2222


[LOG]
logdirectory = log

[ Lecture de 6 lignes ]
^G Aide      ^O Écrire   ^R Lire fich.^Y Page préc.^K Couper    ^C Pos. cur.
^X Quitter   ^J Justifier ^W Chercher  ^V Page suiv.^U Coller   ^T Orthograp.
```

1.3 Start Server

Just start the server with the following command :

```
python startServer.py
```

A terminal window titled "Terminal - sidya@toaster:~/PycharmProjects/DNC/server" with a dark blue background. The terminal shows the command "python startServer.py" being executed, resulting in the following output: "Configuration Load", "Server start", and "Server Listen on port 2222". The terminal also shows the prompt "[0][06:25:35] sidya@toaster ~/PycharmProjects/DNC/server \$".

```
Terminal - sidya@toaster:~/PycharmProjects/DNC/server
Fichier Éditer Affichage Terminal Onglets Aide
[0][06:25:35] sidya@toaster ~/PycharmProjects/DNC/server $ python startServer.py
Configuration Load
Server start
Server Listen on port 2222
```